

Kajaria
GRES
India's Trusted Tile

Super33
600x1200 mm

High Strength
Digital Floor Tiles



GRES TOUGH

High Strength Digital Floor Tiles



800x1600 mm | 600x1200 mm | 195x1200 mm | 600x600 mm



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



Available in various sizes, designs and finishes for all budgets.




High durability and functionality make our tiles ideal for extensive use & versatile applications.



Meets the highest quality standards.





33

Tiles

2

Series

5

Finishes

Super33

Celebration of Artistry

Super 33 Tiles add a unique and luxurious touch to any space. Crafted with special finishes like shimmering metallic, intricate textures, and digital prints, they elevate both interiors and exteriors. These tiles are strong, durable, and perfect for any luxurious space. With a variety of colors and patterns, they offer endless design possibilities, transforming spaces into stunning masterpieces. Combining style and strength, These 33 tiles with special effects redefine elegance and provide timeless appeal, making them an ideal choice for sophisticated tastes.



I N D E X



Super Elite

Abstract Jade	35
Blue Leaves Décor	25
Blue pearl Leaves	25
Celeste Mink Gloss	09
Crystal White	37
Damascus Prusian	37
Forest Wine Decor	11
Invisible Grey	39
Invisible Grey Décor	39
Jade Ebony Décor	13
Laser Wood Gloss	15
Lily Gloss Décor	17
Ornate Steel Gloss	19
Palazzo Crema Décor	30
Peacock Gloss Décor	21
Petals crema Décor	31
Quince Azul Décor	23
Retro Azul Décor	27
Retro Pearl Décor	33

Super33

Elite

Absolute Gris	41
Arenite Beige	47
Aria Montblanc	49
Black Gold Matte	51
Ceppo Grey	55
Element Crema	53
Foliage Gris Décor	43
Inlay Natural	57
Meraki Onice Décor	45
Metalux Gold Streak	57
Peacock Gloss	21
Sahara Noir A	59
Sahara Noir B	59
Strato Graphite	61





Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Celeste Mink Gloss

new

1





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss

Chiara Marfil
existing



Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Forest Wine Décor
new

2





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss

Cranberry Beige

existing



Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Jade Ebony Décor

new

3







Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Laser Wood Gloss

new

4





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss



Vatican Marfil existing

Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Lily Gloss Décor

new

5







Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Ornate Steel Gloss

new

6





Series Elite

600x1200 mm

Finish : High Gloss Polished

Surface : Gloss

Series Super Elite

Super33


600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Peacock Gloss new

7



Peacock Gloss Décor new

8





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss

Series Super Elite

Super33

600x1200 mm

Finish : Full Polished With Reactive

Surface : Gloss

Tavera Marfi

existing



Quince Azul Décor

new

9





Series Super Elite

600x1200 mm

Finish : Rocker

Surface : Silky Satin

Series Super Elite

Super33

600x1200 mm

Finish : Rocker

Surface : Silky Satin

Blue Pearl Leaves

new

10



Blue Leaves Décor

new

11







Series Super Elite

Super33

600x1200 mm

Finish : Rocker

Surface : Silky Satin

Retro Azul Décor
new

12





Petals Crema Décor & Bellini Crema



Series HD Matt

600x1200 mm

Finish : Matt

Surface : Matt

Series Super Elite

600x1200 mm

Finish : Rocker

Surface : Silky Satin

Bellini Crema

existing



Palazzo Crema Décor

new

13



Series HD Matt

600x1200 mm

Finish : Matt

Surface : Matt

Bellini Crema

existing



Series Super Elite

Super33

600x1200 mm

Finish : Rocker

Surface : Silky Satin

Petals Crema Décor

new

14





Series HD Matt

600x1200 mm

Finish : Matt

Surface : Matt

Deserto Grey
existing



Series Super Elite

Super33

600x1200 mm

Finish : Rocker


Surface : Silky Satin

Retro Pearl Décor
new

15







Series Super Elite

Super33

600x1200 mm


Finish : Crystal Carving

Surface : Silky Matt

Abstract Jade

new

16






Series Super Elite

600x1200 mm

Finish : Crystal Carving

Surface : Silky Matt

Crystal White
new



17

Series Super Elite


600x1200 mm

Super33

Finish : Crystal Carving

Surface : Silky Matt

Damascus Prusian
new



18



Series Super Elite

600x1200 mm

Finish : Crystal Carving

Surface : Silky Matt

Series Super Elite

Super33

600x1200 mm

Finish : Crystal Carving

Surface : Silky Matt

Invisible Grey

new

19



Invisible Grey Décor

new

20





Series Elite

600x1200 mm

Finish : Rocker Carving

Surface : Matt

Skyler Marfil
existing



Series Elite

600x1200 mm


Finish : Rocker

Surface : Silky Satin

Absolute Gris
new

Super33

21





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss

Carrara Perla

existing



Series Elite

600x1200 mm

Finish : High Gloss Polished

Surface : Gloss

Foliage Gris Décor

new

22





Series HD Polished

600x1200 mm

Finish : Polished

Surface : Gloss



Thassos Marble

existing

Series Elite

600x1200 mm

Finish : High Gloss Polished

Surface : Gloss

Meraki Onice Décor

new

Super33

23







Series Elite

Super33

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Arenite Beige

new

24







Series Elite

Super33

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Aria Montblanc

new

25







Series Elite

Super33


600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Black Gold Matte
new

26







Series Elite

Super33


600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Element Crema
new

27







Series Elite

Super33

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Ceppo Grey
new

28





Series Elite

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Series Elite

600x1200 mm

Super33

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Inlay Natural

new

29



Metalux Gold Streak

new

30





Series Elite

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Series Elite

600x1200 mm

Super33

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Sahara Noir A

new

31



Sahara Noir B

new

32







Series Elite

Super33

600x1200 mm

Finish : Diamond Glass

Surface : Hard Matt ◀ G-50000

Strato Graphite

new

33



SPECIFICATIONS

Work Size		No. of Tiles Per Box	Coverage/Box (Sq. Mtrs.)	Avg. Wt./Sq. Mtr. (Kgs.)
Dimensions (In mm)	Thickness (In mm)			
600X1200 MM (GREYSTONE)	9.00	2	1.440	19.44

KAJARIA GRES TILES TECHNICAL SPECIFICATION - GROUP B IIa , ISO Standard 13006:2018 & IS 15622 :2017

	Test Description	Standard Test method	ISO Standard 13006:2018	IS 15622 :2017	Kajaria Gres Standard
1	Deviation in length & Width	ISO 10545-2/ IS 13630 Part 1	Max. $\pm 0.30\%$	Max. $\pm 0.10\%$	Max. $\pm 0.10\%$
2	Deviation in Thickness	ISO 10545-2 / IS 13630 Part 1	Max. $\pm 5.0\%$	Max. $\pm 5.0\%$	Max. $\pm 4.0\%$
3	Deviation in Straightness of Sides	ISO 10545-2 / IS 13630 Part 1	Max. $\pm 0.30\%$	Max. $\pm 0.10\%$	Max. $\pm 0.10\%$
4	Deviation in Rectangularity	ISO 10545-2 / IS 13630 Part 1	Max. $\pm 0.30\%$	Max. $\pm 0.10\%$	Max. $\pm 0.10\%$
5	Surface Flatness (Center & Edge curvature)	ISO 10545-2/ IS 13630 Part 1	Max. $\pm 0.40\%$	Max. $\pm 0.50\%$	Max. $\pm 0.20\%$
6	Warpage	ISO 10545-2 / IS 13630 Part 1	Max. $\pm 0.40\%$	Max. $\pm 0.50\%$	Max. $\pm 0.20\%$
7	Surface Quality	ISO 10545-2 / IS 13630 Part 1	Min 95% free from visible defects	Min 95% free from visible defects	Min 95% free from visible defects
8	Water Absorption	ISO 10545-3 / IS 13630 Part 2	$3\% < \text{Average} \leq 6\%$	$3\% < \text{Average} \leq 6\%$	2.5 % to 3.5 %
9	Moisture Expansion	ISO 10545-10 / IS 13630 Part 3	Test Method Available	0.03 mm/m Max.	0.006 mm/m Max.
10	Linear Thermal Expansion	ISO 10545-8 / IS 13630 Part 4	Test Method Available	$\leq 9 \times 10^{-6} \text{ K}^{-1}$	$\leq 9 \times 10^{-6} \text{ K}^{-1}$
11	Thermal Shock Resistance	ISO 10545-9/ IS 13630 Part 5	Test Method Available	10 Cycle Min	10 Cycle Min
12	Breaking Strength	ISO 10545-4/ IS 13630 Part 6	$\geq 1000 \text{ N}$	$\geq 1000 \text{ N}$	$\geq 1400 \text{ N}$
13	Modulus of Rupture	ISO 10545-4 / IS 13630 Part 6	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -32 N/mm ² Individual min - 30 N/mm ²
14	Resistance to Chemical	ISO 10545-13 / IS 13630 Part 8	Min Class B	Min Class AA	Min Class AA
15	Resistance to stain	ISO 10545-14 / IS 13630 Part 8	Min Class 3	Min Class 1	Min Class 1
16	Crazing Resistance	ISO 10545-11 / IS 13630 Part 9	Required	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar
17	Resistance to Surface Abrasion	ISO 10545-7 / IS 13630 Part 11	Report Abrasion Class And cycle passed	Class II Min	Min Class -IV
18	Scratch Hardness (Mohs scale)	IS 13630 Part 13	NA	Min 4	Min 5
19	Impact Resistance(COR)	ISO 10545-5 / IS 13630 Part 14	Test Method Available	0.55 Min	0.78 Min
20	Frost Resistance	ISO 10545-12/ IS 13630 Part 10	Test Method Available	Required , if agreed to between manufacturer and purchaser	100 Cycle Passed
21	Lead and Cadmium Release	ISO 10545-15	Test Method Available	NA	Cd - <1 ppm , Pb - 52 ppm

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Kajaria GRÉS

India's Trusted Tile

EXPERIENCE CENTRES / REGIONAL OFFICE

NORTH

CHANDIGARH :

SCO 17, 1st Floor,
Sector-7C, Madhya Marg, Chandigarh.
Phones : 0172-4631418, 4631415
E-mail : chandigarh@kajariagres.com

DEHRADUN :

485, Dharampur, Haridwar Road, Dehradun
Phone : 0135-2675329
Mob. : 9780044701
E-mail : dehradun@kajariagres.com

JAIPUR :

Ground Floor, Nidhi Kamal Tower,
Plot No 37-38 B, Barwara House,
Ajmer Road, Jaipur - 302008, Rajasthan
Phone : 0141-4910941, 2220244
E-mail : jaipur@kajariagres.com

JAMMU :

Marble Market, Near Samsung Plaza,
Satyam Road Trikuta Nagar,
Jammu - 180012, Jammu and Kashmir
Mob. : 7827993481,
Phone : 0191-7986728
E-mail : jammu@kajariagres.com

LUCKNOW

Plot No.146, 2nd Floor, Above Kalyan Jewellers,
Adj. Ghajipur Police Station,
Near Bhootnath Metro Station, Faizabad Road,
Lucknow (UP) - 226016
Phone : 0522-4029181, Mob. : 9870109404
E-mail : lucknow@kajariagres.com

VARANASI :

87B/1, Circuit House Road,
Near Dressland Showroom I,
Sikraul, Bhojuboer, Varanasi - 221002
Phone : 0542-2500483
Mob. : 9005092402
E-mail : varanasi@kajariagres.com

EAST

PATNA (Regional Office)

'ANCHAL', House No.-15, Ground Floor
Justice Narayan Path, Nagaswar Colony
Patna - 800001, Bihar
Mob. : 9334791993
E-mail : patna@kajariagres.com

KOLKATA (Regional Office)

Tirupati Plaza, 2nd Floor 74/2,
Acharya Jagdish chandra Bose Road,
Kolkata - 700 016, West Bengal
E-mail : kolkata@kajariagres.com

CENTRAL

RAIPUR :

Shop No: 507 & 508, 5th Floor,
Lalganga Business Park, NH-43,
Pachpedi Naka, Raipur, Chhattisgarh-492001
Mob: 99268897529, 8669685897, 7714060427
E: raipur@kajariagres.com

INDORE (Regional Office)

S.A. Tower, 1st Floor, 13/3 New Palasia,
Opp. Arya Samaj Building,
Indore - 452001, Madhya Pradesh
Phone : 0731- 4068839, Mob. : 9752593462
E-mail : indore@kajariagres.com

Kajaria **GRÉS**

India's Trusted Tile

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: 011-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sakandarpur Ghosi, Gurgaon-122001, Haryana, Ph.-0124-4081281

CIN No. : L26924HR1985PLC056150, Web.: www.kajariagres.com, Toll Free : 1800 120 100

follow us on :   