

Kajaria

GRÈS  TOUGH

BOUTIQUE *collection* 2025

.....
600X1200 MM

HIGH STRENGTH DIGITAL FLOOR TILES | SOUTH & WEST

grès  tough

TOUGH MEETS BEAUTIFUL



Kajaria



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



Available in various sizes, designs and finishes for all budgets.



Meets the highest quality standards.



High durability and functionality make our tiles ideal for extensive use & versatile applications.



Perfect for floor applications



Perfect for wall applications



Easy to Install



Eco-Friendly



Applications




RESIDENTIAL



SHOPS



RESTAURANT



GARDEN & POOL



MALLS



HOSPITALS



HOTELS



PUBLIC SPACES



TRAIN STATION



OFFICE



AIRPORTS



TERRACE

600X1200MM
HD-POLISH / SPECIAL EFFECTS



CAMEROON MARFIL

POLISH



CAMEROON DÉCOR

HD POLISH SHINKER



DURBAN SMOKE

POLISH



DURBAN DÉCOR

HD POLISH SHINKER



LESOTHO GRIS

POLISH



LESOTHO DÉCOR

HD POLISH SHINKER



LUSAKA BIANCA

POLISH



LUSAKA DÉCOR

HD POLISH SHINKER



600X1200MM
HD-POLISH / SPECIAL EFFECTS



NIASA GRIS

POLISH



NIASA DÉCOR

HD POLISH SHINKER



TRIPOLI MARFIL

POLISH



TRIPOLI DÉCOR

HD POLISH SHINKER



600X1200MM
MATT / SPECIAL EFFECTS



ALFRED MIST

MATT



ALFRED DÉCOR

MATT SHINER



ALFRED GRIS

MATT



RUANDA CREMA

MATT



RUANDA DÉCOR

MATT SHINER



TORTUGA BIANCA

MATT



TORTUGA BIANCA DÉCOR

LINEAR



600X1200MM
HD-POLISH / MATT / SPECIAL EFFECTS



DOMINICA CREMA MATT



DOMINICA CREMA DÉCOR

LINEAR



DOMINICA CREMA

POLISH



DOMINICA MIST MATT




DOMINICA MIST DÉCOR

LINEAR




DOMINICA MIST

POLISH




MARS GRIS MATT

MATT



MARS GRIS DÉCOR

LINEAR



MARS GRIS

POLISH



MARS MIST MATT

MATT



MARS MIST DÉCOR

LINEAR



MARS MIST

POLISH

600X1200MM
PRO SURFACE / SPECIAL EFFECTS



ANGOLA AZUL HD POLISH SHRINKER



BASEL GRIS PRO SURFACE



BASEL GRIS DÉCOR HI-DEPTH PUNCH+ COMB



BRANDON MARFIL RIVER POLISH



BRANDON MARFIL PEARL PRO SURFACE




CAICOS MIST RIVER POLISH



BRISTOL ALMOND

PRO SURFACE



BRISTOL ALMOND DÉCOR

HI-DEPTH PUNCH- STRIP



BRISTOL CREMA

PRO SURFACE



BRISTOL CREMA DÉCOR

HI-DEPTH PUNCH- STRIP



BRISTOL GRIS

PRO SURFACE



BRISTOL GRIS DÉCOR

HI-DEPTH PUNCH- STRIP



CAYMAN BIANCA

PRO SURFACE



CAYMAN BIANCA DÉCOR

HI-DEPTH PUNCH- STRIP





600X1200MM
PRO SURFACE / SPECIAL EFFECTS



DACIA BROWN

PRO SURFACE



DACIA BROWN DÉCOR

HI-DEPTH PUNCH- STRIP



DACIA CEMENT

PRO SURFACE



DACIA CEMENT DÉCOR

HI-DEPTH PUNCH- STRIP



DACIA CREMA

PRO SURFACE



DACIA CREMA DÉCOR

HI-DEPTH PUNCH- STRIP



DACIA CREMA DÉCOR 2

PRO SURFACE



DACIA CREMA DÉCOR 3

PRO SURFACE



DACIA CYAN

PRO SURFACE



DACIA CYAN DÉCOR

HI-DEPTH PUNCH- STRIP



DACIA TEAL

PRO SURFACE



DACIA TEAL DÉCOR

HI-DEPTH PUNCH- STRIP



DACIA WINE

PRO SURFACE



DACIA WINE DÉCOR

HI-DEPTH PUNCH- STRIP



EXUMA BIANCA

RIVER POLISH

600X1200MM
PRO SURFACE / SPECIAL EFFECTS



GAGARIN NERO

PRO SURFACE



GAGARIN NERO DÉCOR

HI-DEPTH PUNCH- TRIANGLE



HATI BIANCA

PRO SURFACE



HATI BIANCA DÉCOR

HI-DEPTH PUNCH- STRIP



HARARE BEIGE

HD POLISH SHRINKER



HARARE DÉCOR

HD POLISH SHRINKER



HARARE BROWN

HD POLISH SHRINKER





600X1200MM
PRO SURFACE / SPECIAL EFFECTS



HARBOUR MARFIL

RIVER POLISH



HARBOUR MIST

RIVER POLISH



HAVANA BIANCA

PRO SURFACE




HAVANA BIANCA DÉCOR

HI-DEPTH PUNCH- TRIANGLE



PILSEN GRIS

PRO SURFACE



PILSEN GRIS DÉCOR

HI-DEPTH PUNCH- COMB



PILSEN PERLA

PRO SURFACE



PILSEN PERLA DÉCOR

HI-DEPTH PUNCH- COMB

600X1200MM
PRO SURFACE / SPECIAL EFFECTS



SOOTY AZUL

PRO SURFACE



SOOTY AZUL DÉCOR

HI-DEPTH PUNCH- TRIANGLE



SOOTY CREMA

PRO SURFACE



SOOTY CREMA DÉCOR

HI-DEPTH PUNCH- TRIANGLE



SOOTY VERDE

PRO SURFACE



SOOTY VERDE DÉCOR

HI-DEPTH PUNCH- TRIANGLE



TRAIL MIST

RIVER POLISH



TRAIL MIST PEARL

PRO SURFACE



600X1200MM
DECOR / SPECIAL EFFECTS



IPPY GLITZ

MATT SHRINKER



STRIP NATURAL

HI-DEPTH PUNCH- STRIP




STRIP WALNUT

HI-DEPTH PUNCH- STRIP




STRIP WENGE

HI-DEPTH PUNCH- STRIP




TOGO BEIGE

HD POLISH SHRINKER



TOGO CEMENT

HD POLISH SHRINKER




TOGO SILVER

HD POLISH SHRINKER



TERRITORY DÉCOR



KIKWIT DÉCOR

MATT SHRINKER



600X1200MM
AURUM SERIES / GT SURFACE



ABARTH CEMENT

GT SURFACE



ABARTH CEMENT DÉCOR

HI-DEPTH PUNCH- BRICK



ABARTH COPPER

GT SURFACE



ABARTH COPPER DÉCOR

HI-DEPTH PUNCH- BRICK



ABARTH COTTO

GT SURFACE



ABARTH COTTO DÉCOR

HI-DEPTH PUNCH- BRICK



ABARTH TAUPE

GT SURFACE



ABARTH TAUPE DÉCOR

HI-DEPTH PUNCH- BRICK




600X1200MM
AURUM SERIES / GT SURFACE



ACURA GRIS

GT SURFACE




ACURA GRIS DÉCOR

GT SURFACE



ACURA MARFIL

GT SURFACE



ACURA MARFIL DÉCOR

GT SURFACE



ASTEN GRAPHITE

GT SURFACE



ASTEN GRAPHITE DÉCOR

HI-DEPTH PUNCH- LINEAR



ASTEN GRIS

GT SURFACE



ASTEN GRIS DÉCOR

HI-DEPTH PUNCH- LINEAR




ASTEN MARFIL



GT SURFACE

ASTEN MARFIL DÉCOR

HI-DEPTH PUNCH-LINEAR



600X1200MM
AURUM SERIES / GT SURFACE



LANCIA GRAPHITE

GT SURFACE



LANCIA GRAPHITE DÉCOR

HI-DEPTH PUNCH- STRIP



LANCIA GRIS

GT SURFACE



LANCIA GRIS DÉCOR

HI-DEPTH PUNCH- STRIP



LANCIA MARFIL

GT SURFACE



LANCIA MARFIL DÉCOR

HI-DEPTH PUNCH- STRIP



LANCIA WALNUT

GT SURFACE



LANCIA WALNUT DECOR

HI-DEPTH PUNCH- STRIP



600X1200MM
AURUM SERIES / GT SURFACE



LINCOLN GRIS

GT SURFACE



LINCOLN GRIS DÉCOR

HI-DEPTH PUNCH- COMB



LINCOLN MARFIL

GT SURFACE




LINCOLN MARFIL DÉCOR

HI-DEPTH PUNCH- COMB



LINCOLN NERO

GT SURFACE



LINCOLN NERO DÉCOR

HI-DEPTH PUNCH- COMB



SATURN GRAPHITE

GT SURFACE



SATURN GRAPHITE DÉCOR

HI-DEPTH PUNCH- STRIP



SATURN GRIS

GT SURFACE



SATURN GRIS DÉCOR

HI-DEPTH PUNCH- STRIP



SATURN MARFIL

GT SURFACE



SATURN MARFIL DÉCOR

HI-DEPTH PUNCH- STRIP



600X1200MM
AURUM SERIES / GT SURFACE



SCION BRONZE

GT SURFACE



SCION BRONZE DÉCOR

HI-DEPTH PUNCH- BARCODE



SCION COPPER

GT SURFACE




SCION COPPER DÉCOR

HI-DEPTH PUNCH- BARCODE



SCION MIST

GT SURFACE




SCION MIST DÉCOR

HI-DEPTH PUNCH- BARCODE



SCION TAUPE

GT SURFACE



SCION TAUPE DÉCOR

HI-DEPTH PUNCH- BARCODE



600X1200MM
AURUM SERIES / GT SURFACE



SUBARU GRIS

GT SURFACE



SUBARU GRIS DÉCOR

HI-DEPTH PUNCH-COMB



SUBARU MARFIL

GT SURFACE



SUBARU MARFIL DÉCOR

HI-DEPTH PUNCH-COMB



SUBARU COCO

GT SURFACE



SUBARU COCO DÉCOR

HI-DEPTH PUNCH-COMB



Your Ultimate Choice for Tile Perfection

Advantages

WATER RESISTANT

IMPROVED EFFLORESCENCE CONTROL

SMOOTH FINISH

WEATHER RESISTANT

EASY MAINTENANCE

NON-SHRINKING

NON CRACKING

EASY APPLICATION AND CLEAN UP

Shades Available

SUPER WHITE

TAUPE

HUSK

SAND

CARDBOARD BROWN

METAL GOLD

TAN BROWN

COCOA

LIGHT GREY

STEEL GREY

DARK GREY

SKY BLUE

PEACH

PINK

TERRA RED

BLOOD RED

BLUE

DARK GREEN

BURGUNDY

RED BROWN

SHILL BLACK


JET BLACK

Tiling a wall or floor ?
Choose Gresbond, not Cement.

Old Cement Method



Gresbond Adhesives



Comparison

Properties	Sand/Cement	Gresbond Adhesive
Installations time	Time-consuming	Fast
Bed thickness	15-40 MM	2-6 MM
Water curing	Required	Not-required
Bond Strength	Hollowness behind the tile	100% Bond with tile & surface
Application on large tiles	No	Yes
External cladding	No	Yes
Tile on tile	No	Yes

Fast and Economical

GRESBOND Premium Tile adhesive can be easily applied over large areas with a notched trowel.

Easy to Work with

GRESBOND High-quality tile adhesives for wall application have good non-slump properties. The freshly laid tiles therefore do not slip on the wall. It is thus possible to lay the tiles from top to bottom without using spacers. This makes it easier to produce a uniform pattern.

Excellent Results

GRESBOND advanced premium adhesives are so easy to mix and install that good results are consistently achieved.

PREMIUM ADHESIVES, GROUTS & TILE CLEANER

INGREDIENTS FOR PERFECT RESULTS

CX-1

PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX1 is a high-performance, grey cement-based, polymer-modified adhesive designed specifically for quick-setting ceramic floor tiles. Ideal for use on cement-based surfaces such as concrete and plaster, CX1 ensures a strong, long-lasting bond between tiles and the substrate. Its advanced formulation offers excellent adhesion & superior bonding.



VX-1

HIGH PERFORMANCE PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES & BATHROOM WALL TILES

VX-1 is polymer modified grey cement based tile adhesive specially designed for fixing all kinds of tiles including vitrified tiles, ceramic tiles and large format tiles on internal or external floor surface. Also suitable for bathroom wall tiles.



CX-2

WHITE

WHITE COLOR PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX-2 is polymer modified white cement based tile adhesive meant for fixing ceramic floor tiles. White colour of CX-2 white protects light base tiles from discoloration along with strong bonding with the surface. Highly recommended for light base ceramic floor tiles



VX-2

WHITE

HIGH PERFORMANCE WHITE COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VX-2 is polymer modified white cement based tile adhesive protects light base tiles and marbles from discoloration along with strong bonding, suitable for all kinds of floor tiles which includes vitrified tiles, ceramic tiles, large format tiles & marble flooring.



VXX-1

GREY

HIGH PERFORMANCE GREY COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VXX-1 is a high-performance, polymer-modified grey tile adhesive designed for superior bonding. Ideal for all floor tiles, bathroom wall tiles, and marble, it ensures a durable and secure installation for both residential and commercial projects. Suitable for vitrified, ceramic, large-format tiles, and more, VXX-1 offers long-lasting aesthetics and reliable performance.



EX-5

WHITE / GREY

HEAVY DUTY PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR WALL & FLOOR TILES

EX-5 is a high strength adhesive. EX-5 is specially designed for heavy duty tile application, it has superior strength & ideal for all kind of tiles & Stones. It is also suitable for interior & exterior wall cladding tiles.

Fastening is recommended to install slabs / big size tiles over facade on high rise walls



CR-1 WHITE

PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR

COOL ROOF FLOOR TILES

CR-1 is a highly polymer modified, high-performance thin-set adhesive, for tiles on a variety of surfaces, for horizontal application, in indoor as well as outdoor use, It's a dry mix ready to use mortar, only water to be added.



LX-7 WHITE / GREY

PREMIUM SPECIALIZED ADHESIVE FOR INSTALLATION OF LARGE FORMAT TILES AND STONES

LX-7 is highly polymerised, cement-based grey/white coloured adhesive. It has a chemical resistance properties and can be used in residential & commercial installations



NEW

KE-100 PREMIUM EPOXY GROUT

100% SOLID EPOXY GROUT

KE-100 is a Stain free Epoxy grout for floors & Walls. It is a colour fast, water & chemical resistant & 100% solid epoxy grout suitable for Ceramic tiles, Vitrified tiles, marbles and stones, especially in stain prone areas such as kitchens and washrooms (residential & commercial installations). Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1Kg & 5Kg Pack.



KE-100 DUET TWO COMPONENTS PREMIUM EPOXY GROUT

NEW IMPROVED FORMULA WITH TWO COMPONENTS

GRESBOND KE-100 DUET is high performance Epoxy based two components tile grout. Easy to use and suitable for all wall and floor tiles, marble and natural stone. It has high chemical & abrasion resistant. It also produces hygienic joints that needs minimal maintenance in Kitchen & Bathroom areas. Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1 Kg & 5 Kg Pack.



PREMIUM UNSANDED GROUT

SUPERIOR QUALITY GROUT FOR CLEAN JOINTS

GRESBOND Premium Unsanded Grout is a superior quality grout. It consist of a carefully prepared blend of white cement, chemical additives and fillers. It is easy to install just mix with water/Grout Admix and use. It is ideal for both floors and walls applications. Available in 22 colours. Suitable for joints between 1-3 mm.



TC-1 TILE CLEANER

FAST ACTING CLEANER FOR ALL TYPES OF TILE SURFACE

GRESBOND Tile Cleaner TC-1 is a fast acting acid based cleaner for regular cleaning of dirt and stains on tile surface, designed for daily maintenance of tiles.



TECHNICAL SPECIFICATIONS

Work size		Coverage area/box (m ²)	No. of tiles/box	Avg. Wt./box	Avg. Wt./sq.mtr.
Dimensions (in mm)	Thickness (in mm)				
600x600	8.50	1.44	4 Pcs	27.20	18.89
600x600 (POLISHED)	8.50	1.44	4 Pcs	27.10	18.81
200x1200	10.00	0.96	4 Pcs	21.20	22.08
600x1200	8.50	1.44	2 Pcs	27.50	19.09
800x1600	9.00	2.56	2 Pcs	52.00	20.31

Comparison of Kajaria Tiles Parameters to International Standards B1b ISO-13006:2018-09					
Sr No.	Characteristics	Group B1b-ISO 13006:2018-09 Nominal Size (N) N ≥ 15cm		Our Value	Method of Testing
		Whichever less is applicable			
		%	mm		
1	Deviation in Length & Width	± 0.3	± 1.0	± 1.0	ISO-10545-2
2	Deviation in Thickness	± 5.0	± 0.5	± 0.5	ISO-10545-2
3	Deviation in Straightness of Sides	± 0.3	± 0.5	± 0.5	ISO-10545-2
4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5	ISO-10545-2
5	Surface Flatness				
	a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
7	Water Absorption	0.5% < Eb < 3.0% Ind. Max. 3.2%		2.0 - 3.0 %	ISO-10545-3
8	Abrasion Resistance	Report abrasion class		PEI class 3 min.	ISO-10545-7
9	Modulus of Rupture N/mm ²	Min. 30, Individual min. 27		Min. 30, Individual min. 27	ISO-10545-4
10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100		Thickness ≥ 7.5 mm, not less than 1100*	ISO-10545-4
		b. Thickness < 7.5 mm, not less than 700			
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO-10545-11
12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

SOUTH

BANGALORE :

Farah Icon, 119 First Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore - 560 027, Karnataka
Phones : 080-41440019/20/30
Mob.: 9341237537

COIMBATORE :

1st Floor, 57, Cowley Brown Road,
Near Central Library, R.S.Puram ,
Coimbatore - 641002, Tamil Nadu
Phones : 0422-4350801/4350803
E-mail : coimbatore@kajariaceramics.com

COCHIN :

MN Square, 2nd Floor, 549/2,
Near Gold Souk Grande
NH Bypass, Vyttila, Cochin- 19, Kerala
Phones : 0484-2912000
E-mail : coc@kajariaceramics.com

HYDERABAD :

Uma Aishwarya House, H.No 8-2-502/1/AG,
Road No. 7, Banjara Hills,
Hyderabad - 500034, Telangana
Phone : 040-66106058, Mob.: 9000005392
E-mail : hyderabad@kajariaceramics.com

CHENNAI :

Fagun Chambers, Old No: 7,
New No: 26A/2, 1st Floor, Ethiraj Salai,
Egmore , Chennai - 600008, Tamil Nadu
Phones : 044-42691094/ 28264990
E-mail : chn@kajariaceramics.com

WEST

AHMEDABAD (Regional Office)

City Centre-2, Office No-504,
5th Floor, Nr. Sukan Mall Cross Road,
Science City Road, Sola, Ahmedabad,
Gujarat - 380060
Mob.: 9724340881

PUNE :

6th Floor, 601, DSK Gandharva Heights,
Geneshkhind Road, Shivajinagar
Pune - 411005, Maharashtra
Phone: 020-6647 1600

MORBI :

Shop no 23, 4th Floor,
Satyam Commercial Complex,
Maliya Fatak Overbridge,
Morbi-Kandla National Highway,
Mahendra Nagar, Morbi, Gujarat - 363642
Mob.: 7046689961

MUMBAI :

B1 - 307, Boomerang, Chandivali Farm Road,
Near Chandivali Studio, Off Saki-vihar Road,
Andheri (E), Mumbai - 400072
Phone : 022-69433100
E-mail : mum@kajariaceramics.com

Kajaria

INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co-op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946409, Fax: +91-11-26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic  instagram.com/kajaria.ceramics, Tollfree : 1800-309-309

Download Kajaria App  