

Catàlogo General

TRENDS

2021

Wall & Floor Tiles

Kajaria

We
Pursued
Excellence,
Leadership
Followed.

Kajaria

State-of-the-Art
Eight plants

Capacity
73 mn.
sq. meters

Ultra modern
Manufacturing
Plants

Robotic
Application

2800
Design options





Kajaria Ceramics is the largest manufacturer of Ceramic/Vitrified tiles in India. It has an annual aggregate capacity of 73 mn. sq. meters, distributed across Eight plants - One plant in Uttar Pradesh (Sikandrabad), Two plants in Rajasthan (Gailpur & Malootana), three plants in Gujarat (Morbi) and Two plants in Andhra Pradesh (Vijayawada & Srikalahasti). The motivating factor remains the zeal to be the best, to be at the top and to achieve the highest echelons of excellence. The manufacturing units are equipped with cutting edge technology. Intense automation, robotic car application and a zero chance for human error are just few reasons why Kajaria remains at the top in the Industry.

Founded 30 years ago with a single-minded vision, to be the best in providing tile solutions, Kajaria has since then grown stronger with its hard work, innovation and patronage from our discerning customers. The Indian consumers' rapidly growing appetite for style and aesthetics is the inspiration behind every design of Kajaria Ceramics. It has today become a synonym for quality, service and innovation.

Kajaria offers more than 2800 options in Ceramic tiles, Vitrified tiles, Designer tiles and much more. These tiles come in a wide range of colors and textures to complement your bathrooms, living rooms, kitchens, offices, shopping malls, airports and the list goes on and on. These tiles are born out of an inspired creativity of those who feel that rooms should be an extension of the beauty reflected. With an unparalleled commitment towards quality we strive to adopt technologies and standards with the changing times.

Be it technology, research, design or quality, Kajaria has set its sight on all these factors and adopting new production techniques in order to enhance the quality of its products. As a result of the creativity and design ability of our team, our design comprises both innovation and exclusivity. Using robot car application, new rectification technique and digital printing system, we have the efficiency to produce quality products and innovative designs. Our ultra modern manufacturing plants are fully equipped to cope with the ever increasing demand of the discerning customers' that are conscious of quality and designs. Timely investments in capacities, in-depth understanding of the volatile business environment, apt business practices & healthy investment in human resource are some of the reasons that have made Kajaria Ceramics a name to be reckoned with in the global mainstream.

AWARDS & ACCOLADES



Only ceramic tile company in India to be conferred with "superbrand" for the eleventh time in a row.



Awarded Asia's Most promising brand.



Certified member of India Green Building Council

IS 15622



ISO CERTIFICATIONS

- ISO SA 8000:2008 Certification for Implementing Social Accountability Management System Standards.
- OHSAS 18001:2007 Certification for Implementing Occupational Health and Safety Management System Standards.
- ISO 50001:2011 Certification for Implementing Energy Management System Standards.
- ISO 22000:2005 Certification for Implementing Food Safety Management System Standards.
- ISO 14001:2015 Certification for Implementing Environmental Management System Standards.
- ISO 9001:2015 Certification for Implementing Quality Management System Standards.

Kajaria


IS NOW THE

8TH



LARGEST MANUFACTURER
OF TILES IN THE WORLD.

#MakingIndiaProud
#India'sNo.1TileCompany



INDICE

content



WALL

40x80 cm

page no. 10

30x60 cm

page no. 30

30x45 cm

page no. 92

25x37.5 cm

page no. 128

20x30 cm

page no. 144

FLOOR

60x120 cm

page no. 148

20x120 cm

page no. 184

60x60 cm

page no. 194

40x40 cm

page no. 224

30x30 cm

page no. 232





40x80 cm

The Perfect
Wall Concepts







ALBURA LIGHT

G



ALBURA DECOR

★ G



ALBURA DARK

G



ALBURA DARK
40x40 CM

M



ASTORIA CEMENT

M



ASTORIA DECOR

★ M



ASTORIA GRIS

M



ASTORIA GRIS
40x40 CM

M

40x80 cm

DIGITAL
Hi-Definition Digital Ceramic Tiles



BAHAMAS MIST

E



BAHAMAS DECOR

★ E



BAHAMAS BRONCE

E



BAHAMAS BRONCE
40x40 CM

M





BORGHETTO LIGHT

G



BORGHETTO DECOR

★ G



BORGHETTO DARK

G



BORGHETTO DARK
40x40 CM

M

40x80 cm

DIGITAL
Hi-Definition Digital Ceramic Tiles



BARCELONA MARFIL





CAMILLA MARFIL

M



CAMILLA DECOR

★ M



CAMILLA OCRE

M



CAMILLA OCRE
40x40 CM

M

40x80 cm

DIGITAL

Hi-Definition Digital Ceramic Tiles



ALBURA LIGHT

M R



ALBURA DECOR

★ M R



ALBURA DARK

M R



ALBURA DARK
40x40 CM

M R





CRUMPLE CEMENT LIGHT

M



CRUMPLE CEMENT LIGHT DÉCOR

★ M



CRUMPLE CEMENT DARK

M



CRUMPLE CEMENT DARK DÉCOR

★ M



CRUMPLE CEMENT DARK
40x40 CM

M

40x80 cm

DIGITAL
Hi-Definition Digital Ceramic Tiles



ETHOS DÉCOR-1

★ M



ETHOS LIGHT

M R



ETHOS DÉCOR-2

★ M



ETHOS DARK

M R



ETHOS DARK
40x40 CM

M R



Kajaria



GILLESPIE GRIS

G



GILLESPIE DECOR

★ G



GILLESPIE NERO

G



GILLESPIE NERO
40x40 CM

M



GELATO LIGHT

M R



GELATO DÉCOR

★ M



GELATO DARK

M R



GELATO DARK
40x40 CM

M R

40x80 cm

DIGITAL

Hi-Definition Digital Ceramic Tiles



HAVANA OLIVE LIGHT

E



HAVANA OLIVE DECOR

★ E



HAVANA OLIVE DARK

E



HAVANA OLIVE DARK
40x40 CM

M





ITALIAN TRAVERTINO



ITALIAN TRAVERTINO DECOR



ITALIAN TRAVERTINO
40x40 CM



40x80 cm

DIGITAL
Hi-Definition Digital Ceramic Tiles



MINDANG WOOD LIGHT

M R



MINDANG WOOD DECOR

★ M R



MINDANG WOOD DARK

M R



MINDANG WOOD DARK
40x40 CM

M R









NAOS LIGHT

M R



NAOS DECOR

★ M R



NAOS DARK

M R

NAOS DARK
40x40 CM

M



OPERA LIGHT

M R



OPERA DECOR

★ M R



OPERA DARK

M R

OPERA DARK
40x40 CM

M R

40x80 cm

DIGITAL

Hi-Definition Digital Ceramic Tiles



RAYON MARFIL

G R



RAYON DECOR

★ G R



RAYON OCRE

G R



RAYON OCRE
40x40 CM

M R





30x60 cm

A Shining
Wonder





ALEXIS CREMA

R



ALEXIS DÉCOR

★



ALEXIS MARFIL

R




ALEXIS MARFIL
30x30 CM

M R

30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



ALMA BEIGE

R



ALMA DÉCOR

★



ALMA OCRE

R



ALMA OCRE
30x30 CM

M R



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



ALPHA CREMA

R



ALPHA DECOR

★



ALPHA MARFIL

R




ALPHA MARFIL
30x30 CM

M R





BOTTICINO CLASSIC



IMPERIAL BIANCA



ARMANI MARFIL

R



ARMANI DÉCOR A

★



ARMANI MIST

R



CREMANO LIGHT

R



CREMANO DÉCOR

★



CREMANO DARK

R



CREMANO DARK
30x50 CM

M R

30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



ALEXIS CREMA



ALEXIS DÉCOR



ALEXIS MARFIL





GABON LIGHT

R



GABON DÉCOR

★



GABON DARK

R



GABON DARK
30x30 CM

M R



GAMBIA LIGHT

R



GAMBIA DÉCOR

★



GAMBIA DARK

R



GAMBIA DARK
30x30 CM

M R

30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



HOBART CEMENT



HOBART DÉCOR




HOBART GRIS



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



LOGAN GRIS

R




LOGAN DÉCOR

★



LOGAN GRIS FORTE

R



LOGAN GRIS FORTE
30x30 CM


M R



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



MILAN CREMA



MILAN HL-1



MILAN OCRE



MILAN HL-2



MILAN OCRE
30x30 CM







MONACO LIGHT



MONACO DECOR



MONACO DARK

MONACO DARK
30x30 CM

OHIO BEIGE



OHIO DECOR



OHIO COTTO

OHIO COTTO
30x30 CM

SENEGAL BIANCA



SENEGAL DECOR



SENEGAL GRIS





SIERA CREMA

R



SIERA DÉCOR

★



SIERA MARFIL

R



SIERA MARFIL
30x30 CM

M R



SILVER MAPLE LIGHT

R



SILVER MAPLE DÉCOR

★



SILVER MAPLE DARK

R



SILVER MAPLE DARK
30x30 CM

M R

30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



TRAVERTINO CREMA



TRAVERTINO DÉCOR



TRAVERTINO BEIGE



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



VALLETTA BIANCA



VALLETTA DÉCOR



VALLETTA GRIS



VALLETTA GRIS
30x30 CM



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



VERA CREMA



VERA HL-1



VERA BEIGE



VERA HL-2





VITA MIST



VITA HL



VITA AZUL



VITA AZUL
30x30 CM



ZION CREMA



ZION C/M HL



ZION MARFIL



WHITE MARBLE



30x60 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles

POLISHED



ZION BIANCA



ZION B/G HL



ZION GRIS







ALEXIS LIGHT

M



ALEXIS LIGHT DÉCOR

★ M

ALEXIS LIGHT
30X30 CM

M R



ALEXIS DARK

M



ALEXIS DARK DÉCOR

★ M

ALEXIS DARK
30X30 CM

M R



ALEXANDRIA LIGHT

M



ALEXANDRIA DÉCOR

★ M



ALEXANDRIA DARK

M

ALEXANDRIA DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ATLANTIC DÉCOR 1



ATLANTIC DÉCOR 3



ATLANTIC DÉCOR 2



ATLANTIC DÉCOR 4



ATLANTIC BLUE



ATLANTIC BLUE FORTE



ATLANTIC BLUE FORTE
30X30 CM



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ALMOND LIGHT

M



ALMOND DÉCOR

★ M




ALMOND DARK

M



ASHWOOD LIGHT

M



ASHWOOD DECOR

★ M



ASHWOOD DARK

M



ASHWOOD DARK
30X30 CM

M



BALSA LIGHT

G



BALSA DECOR

★ G



BALSA DARK

G




BALSA DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



BAROSSA BLANCO

M



BAROSSA DECOR

★ M



BAROSSA NERO

M




BRAZOS CREMA



BRAZOS DÉCOR



BRAZOS OCRE



BLANCO NIEVE (SUPER WHITE)



BLANCO NIEVE
30x30 CM



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



BOLTON DÉCOR 1



BOLTON LIGHT



BOLTON DÉCOR 2



BOLTON DARK





CANAAN LIGHT

M



CANAAN DECOR

★ M



CANAAN DARK

M

CANAAN DARK
30X30 CM

M



CANYON LIGHT

M



CANYON DECOR

★ M



CANYON DARK

M

CANYON DARK
30X30 CM

M



CAROLINA CREMA

M



CAROLINA HL

★ M



CAROLINA BEIGE

M

CAROLINA BEIGE
30X30 CM

M



CELESTE LIGHT



CELESTE DÉCOR



CELESTE DARK



CELESTE DARK
30X30 CM



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



CIAZ BLANCO

M R



CIAZ DÉCOR

★ M




CIAZ GRIS

M R



CIAZ GRIS
30X30 CM

M R





CEMENTOS LIGHT

M



CEMENTOS DÉCOR

★ M



CEMENTOS DARK

M

CEMENTOS DARK
30X30 CM

M



CLAYTON LIGHT

M



CLAYTON DECOR

★ M



CLAYTON DARK

M

CLAYTON DARK
30X30 CM

M



CRESCENT PINK LIGHT

M



CRESCENT PINK DÉCOR

★ M



CRESCENT PINK DARK

M

CRESCENT PINK DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



CORNSILK



CORNSILK DÉCOR





DEVON LIGHT

M



DEVON DECOR

★ M



DEVON DARK

M



DEVON DARK
30X30 CM

M



DORLATO CREMA

★ R



DORLATO BEIGE

★ R



DORLATO BEIGE
30X30 CM

M R



DUTCH LIGHT

G



DUTCH DECOR-B

★ G



DUTCH DARK

G



DUTCH DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ESTANO OCRE

M




ESTANO OCRE DECOR

★ M



ESTANO OCRE
30X30 CM

M



ESSEX BLANCO

G





GALLANT LIGHT

G



GALLANT DÉCOR

★ G




GALLANT DARK

G



GALLANT DARK
30X30 CM

M



GENOVA LIGHT

M



GENOVA DÉCOR

★ M



GENOVA DARK

M



GENOVA DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ITALIANO HL



ITALIANO CREMA



ITALIANO HL 2



ITALIANO BEIGE





LEGEND BEIGE

M



LEGEND BEIGE HILT

★ M



LEGEND BEIGE
30X30 CM

M



LEGEND BROWN

M



LEGEND BROWN HILT

★ M



LEGEND BROWN
30X30 CM

M



LEGEND GREY

M



LEGEND GREY HILT

★ M



LEGEND GREY
30X30 CM

M



LARCH WOOD LIGHT



LARCH WOOD DÉCOR



LARCH WOOD DARK



LARCH WOOD DARK
30X30 CM



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



LONDON SKY LIGHT



LONDON SKY DECOR



LONDON SKY DARK



LONDON SKY DARK
30x30 CM





MAPLETON LIGHT

M



MAPLETON DÉCOR

★ M



MAPLETON DARK

M

MAPLETON DARK
30X30 CM

M



MONTREAL LIGHT

G



MONTREAL DÉCOR

★ G



MONTREAL DARK

G

MONTREAL DARK
30X30 CM

M



NEWPORT BLANCO

G



NEWPORT NERO DÉCOR

★ G



NEWPORT NERO

G


NEWPORT NERO
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



NEWPORT BLUE



NEWPORT BLUE DÉCOR -A




NEWPORT BLUE FORTE



NEWPORT BLUE DÉCOR -B



NEWPORT BLUE FORTE
30X30 CM



NEWPORT LIGHT



NEWPORT DÉCOR -A



NEWPORT DARK



NEWPORT DÉCOR -B



NEWPORT DARK
30X30 CM





PERLATO BEIGE HL 1

★ G



PERLATO BEIGE

G



PERLATO BEIGE HL 2

★ G



PERLATO BEIGE FORTE

G



PERLATO BEIGE HL 3

★ G

PERLATO BEIGE FORTE
30X30 CM

M



POLAND GREY

G



POLAND GREY HL1

★ G



POLAND GREY FORTE

G



POLAND GREY HL2

★ G

POLAND GREY FORTE
30X30 CM

M







PALMA DÉCOR 1

★ B



PALMA DÉCOR 2

★ G



PALMA DÉCOR 3

★ G



PALMA DÉCOR 4

★ G



PALMA DÉCOR 5

★ B



PALMA DÉCOR 6

★ G



PALMA LIGHT

G B



PALMA DARK

G B

PALMA DARK
30X30 CM

M B



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



PEARL BIANCA

G



PEARL HL1

★ G



PEARL HL3

★ G



PERLA CREMA

M



PERLA DECOR

★ M



PERLA ALMOND

M



PERLA ALMOND
30X30 CM

M



RIVERDALE LIGHT

M



RIVERDALE DECOR

★ M



RIVERDALE DARK

M



RIVERDALE DARK
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles




ROCKPORT LIGHT

M



ROCKPORT LIGHT DÉCOR

★ M



ROCKPORT LIGHT
30X30 CM

M



RUSSET BEIGE

G



RUSSET DÉCOR

★ G



RUSSET BROWN

G



RUSSET BROWN
30X30 CM

M





SALFORD BLANCO

M



SALFORD DÉCOR 3

★ M



SALFORD BROWN

M

SALFORD BROWN
30X30 CM

M



SEOUL BLANCO

G



SEOUL DÉCOR-4

★ G



SEOUL DÉCOR-5

★ G



SERBIA MARBLE

G



SERBIA MARBLE DÉCOR

★ G

SERBIA MARBLE
30X30 CM

M

30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



SILEX BLANCO

M



SILEX HL

★ M



SILEX GRIS

M



SILEX GRIS
30X30 CM

M





SILENE CREMA

G



SILENE DÉCOR

★ G



SILENE BEIGE

G



SILENE BEIGE
30X30 CM

M



SIAM BLANCO

M



SIAM CREMA

M



SICILY DÉCOR-1

★ G



SICILY DÉCOR-2

★ G



SICILY DÉCOR-3

★ G



SICILY DÉCOR-4

★ G



SICILY DÉCOR-5

★ G



SICILY DÉCOR-6

★ G



SICILY LIGHT

G R



SICILY DARK

G R

SICILY DARK
30X30 CM

M R



30x60 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



TORNIWOOD LIGHT

M



TORNIWOOD DECOR

★ M



TORNIWOOD DARK


M



TORNIWOOD DARK
30X30 CM

M





TRITON LIGHT

G



TRITON DÉCOR

★ G



TRITON DARK

G



TRITON DARK
30X30 CM

M



TWEED LIGHT

M



TWEED DÉCOR

★ M



TWEED DARK

M



TWEED DARK
30X30 CM

M



TWINKLE BLANCO



TWINKLE DECOR



TWINKLE GREY

TWINKLE GREY
30X30 CM

ZEBRA GRIS



ZEBRA DECOR



ZEBRA NERO

ZEBRA NERO
30X30 CM

ZODIAC GRIS









ELBRUS NATURAL



EVANS NATURAL



EVANS RUST



EVEREST GRIS



EVEREST SAND



EVEREST SLATE







JUNGLE WOOD



KILIMANJARO GRIS



KILIMANJARO NATURAL



MIKONOS BRICK



SUGAR LOAF GRIS



TIBET FUSION





30x45 cm


A Designer's
Delight



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ALFAR GREY

S



ALFAR GREY HL

S



ALFAR GREY FORTE

S



ALFAR GREY FORTE
30X30 CM

M



ANAPOLIS LIGHT

S



ANAPOLIS DÉCOR

S



ANAPOLIS DARK

S




ANAPOLIS DARK
30X30 CM

M





ANGORA CREMA



ANGORA FIL



ANGORA COFFEE



ANGORA COFFEE
30X30 CM



ANTARES LIGHT




ANTARES DÉCOR



ANTARES DARK



ANTARES DARK
30X30 CM



ARCTIC GREY LIGHT



ARCTIC GREY DARK



ARCTIC GREY DARK
30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ARIC BLANCO



ARIC HL



ARIC GREY



ARIC GREY
30X30 CM



ARMONIA CREMA



ARMONIA DÉCOR




ARMONIA MARFIL



ARMONIA MARFIL
30X30 CM





ASTEN BEIGE

G



ASTEN DÉCOR

★ G



ASTEN BROWN

G



ASCOT BIANCA

G R



ASCOT DECOR

★ G



ASCOT GRAPHITE

G R




ASCOT GRAPHITE
30X30 CM

M



ASH GROVE LIGHT

S



ASH GROVE DÉCOR

★ G



ASH GROVE DARK

G



ASH GROVE DARK
30X30 CM

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ATLANTIC LIGHT



ATLANTIC DÉCOR 1



ATLANTIC DARK



ATLANTIC DARK
30X30 CM



ATLANTIC LIGHT



ATLANTIC DÉCOR 2



ATLANTIC DARK



ATLANTIC DARK
30X30 CM





AUSTIN CREMA

□ R



AUSTIN HL

★ □



AUSTIN MARFIL

□ R



AUSTIN MARFIL
30X30 CM

M R



BALSA WOOD LIGHT

M



BALSA WOOD DÉCOR

★ M



BALSA WOOD DARK

S



BALSA WOOD DARK
30X30 CM

M



BAMBOOWOOD LIGHT

□



BAMBOOWOOD HL

★ □



BAMBOOWOOD DARK

□




BAMBOOWOOD DARK
30X30 CM

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



BLACK LOCUST LIGHT




BLACK LOCUST DÉCOR




BLACK LOCUST DARK



BLACK LOCUST DARK
30X30 CM



BLANCO NIEVE (SUPER WHITE)



BLANCO NIEVE SATIN





BOLIVIA LIGHT

G R



BOLIVIA QUADRA L/D

★ G



BOLIVIA DARK

G R



BOLIVIA DARK
30X30 CM

M R



BRISTOL GRIS

M



BRISTOL NATURAL

M



BRISTOL RUST

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



CAIRO BEIGE

M



CAIRO BEIGE DÉCOR

★ M



CAIRO COTTO

M



CAIRO COTTO
30X30 CM

M



CAFÉ LIGHT

E



CAFÉ LIGHT DÉCOR

★ E




CAFÉ DARK

E



CAFÉ DARK
30X30 CM

M





CEDAR TEAK LIGHT




CEDAR TEAK DÉCOR



CEDAR TEAK DARK



CEDAR TEAK DARK
30X30 CM



CANOOSE LIGHT



CANOOSE DÉCOR



CANOOSE DARK



CANOOSE DARK
30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles

11



CHISEL BLANCO



CHISEL HL-1




CHISEL HL-2



COSTA AZUL LIGHT



COSTA AZUL DECOR



COSTA AZUL DARK



COSTA AZUL DARK
30X30 CM



CREMA



DANUBE CREMA



DANUBE HL





CEDAR OAK LIGHT



CEDAR OAK DÉCOR



CEDAR OAK DARK



CEDAR OAK DARK
30X30 CM



DENVER CREMA



DENVER BROWN DÉCOR



DENVER BROWN



DENVER BROWN
30X30 CM





DYNA MARBLE LIGHT



DYNA MARBLE HL



DYNA MARBLE DARK



DYNA MARBLE DARK 30X30 CM



DRIZILLIA LIGHT



DRIZILLIA DECOR



DRIZILLIA DARK



DRIZILLIA DARK 30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



EDAM LIGHT

GR



EDAM LIGHT DÉCOR

★ GR



EDAM DARK

GR



EDAM DARK
30X30 CM

M



DOLOMITE MARFIL

S




DOLOMITE MARFIL DÉCOR


★ S



DOLOMITE MARFIL
30X30 CM

M





EDWARD BLANCO



EDWARD DECOR



ELDORADO COPPER



ELDORADO GRIS



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles

11



ELECTRA MARFIL



ELECTRA BRONZE DÉCOR



ELECTRA BRONZE



ELECTRA BRONZE
30X30 CM



ELECTRA BEIGE



ELECTRA BEIGE FIL



ELECTRA BROWN



ELECTRA BROWN
30X30 CM



ELECTRA AZUL LIGHT



ELECTRA AZUL DÉCOR



ELECTRA AZUL DARK



ELECTRA AZUL DARK
30X30 CM






FIRESTONE



GARNET COTTO



FANTASY BIANCO



FANTASY DECOR



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



GARDENIA BLANCO



GARDENIA BLANCO DÉCOR



GARDENIA AQUA



GARDENIA AQUA
30X30 CM



GLAM LILY



GLAM DECOR



GLAM PURPLE



GLAM PURPLE
30X30 CM





GLORY BIANCA



GLORY DECOR



GLORY GRIS



GLORY GRIS
30X30 CM



GRANIZA CREMA



GRANIZA HL



GRANIZA BEIGE




GRANIZA BEIGE
30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



HARVEST CREMA

G



HARVEST HL

★ G



HARVEST BROWN

G



HARVEST BROWN
30X30 CM

M



HAMPTON LIGHT

G



HAMPTON DÉCOR

★ G



HAMPTON DARK

G



HAMPTON DARK
30X30 CM

M



HARVEY LIGHT

G



HARVEY DÉCOR

★ G



HARVEY DARK

G



HARVEY DARK
30X30 CM

M




HAYDEN BLANCO

G



HAYDEN DÉCOR

★ G



HAYDEN NERO

G



HAYDEN NERO
30X30 CM

M



JAISALMER BROWN

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



JORDON CREMA



JORDON DECOR



JORDON MARFIL



JORDON MARFIL
30X30 CM



KINGSTON LIGHT



KINGSTON DÉCOR



KINGSTON DARK



KINGSTON DARK
30X30 CM



LITHOS GRIS



LITHOS HL



LITHOS GRIS FORTE



LITHOS GRIS FORTE
30X30 CM





LIVA CREMA

GR



LIVA HL

★ GR



LIVA COCO

GR



LIVA COCO
30X30 CM

M



LUXOR BLANCO

GR



LUXOR BLANCO DÉCOR

★ GR



LUXOR OLIVE

GR



LUXOR OLIVE
30X30 CM

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



LIVERPOOL LIGHT




LIVERPOOL DÉCOR



LIVERPOOL DARK



LIVERPOOL DARK
30X30 CM



LIVERNO BLANCO




LIVERNO HL



LIVERNO AZUL



LIVERNO AZUL
30X30 CM



MABIRA GRIS



MABIRA HL



MABIRA GRIS FORTE




MABIRA GRIS FORTE
30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



MADRID BLANCO

GR



MADRID DECOR

★ GR



MADRID GRIS

GR



MADRID GRIS
30X30 CM

M



MARKEN VERDE

M



MARKEN VERDE DÉCOR

★ GR



MARKEN VERDE FORTE

M



MARKEN VERDE FORTE
30X30 CM

M



MALAGA GRIS

S



MALAGA GRIS DÉCOR

★ S



MALAGA GRIS FORTE

S



MALAGA GRIS FORTE
30X30 CM

M



MARMOL BLANCO

S



MARMOL DECOR

★ S



MARMOL NERO

S



MARMOL NERO
30X30 CM

M



MODENA LIGHT

GR



MODENA HL

★ GR



MODENA DARK

GR



MODENA DARK
30X30 CM

M

30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles




NORTON LIGHT



NORTON DÉCOR



NORTON DARK



NORTON DARK
30X30 CM



PALOMINO LIGHT



PALOMINO HL



PALOMINO DARK



PALOMINO DARK
30X30 CM



RICHMOND LIGHT



RICHMOND DÉCOR



RICHMOND DARK



RICHMOND DARK
30X30 CM




ROBERTO MARFIL



ROBERTO HL



ROBERTO COPPER



ROCKVILLE LIGHT



ROCKVILLE DÉCOR



ROCKVILLE DARK



ROCKVILLE DARK
30X30 CM



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ROPEWOOD LIGHT



ROPEWOOD HL



ROPEWOOD DARK



ROPEWOOD DARK
30X30 CM



RUBY LIGHT



RUBY HL



RUBY DARK



RUBY DARK
30X30 CM




SEGESTA BIANCA



SEGESTA GREY HL



SEGESTA GREY



SEGESTA GREY
30X30 CM



SANTRO CREMA



SANTRO DECOR



RIVER SAND STONE



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



SEGESTA CREMA



SEGESTA CREMA HL



SEGESTA BROWN



SEGESTA BROWN
30X30 CM



SENEGAL GRIS LIGHT



SENEGAL GRIS DÉCOR



SENEGAL GRIS DARK



SENEGAL GRIS DARK
30X30 CM





SUEZ BLANCO



SUEZ BLANCO DÉCOR



SUEZ GREY



SUEZ GREY
30X30 CM



SUEDE BLANCO



SUEDE BLANCO DÉCOR



SUEDE AZUL



SUEDE AZUL
30X30 CM



30x45 cm

DIGITAL


Rectified Digital Ceramic Wall Tiles




SIGNO BLUE



SIGNO BLUE HL



SIGNO BLUE FORTE




SIGNO BLUE FORTE
30X30 CM



SIGNO PINK



SIGNO PINK HL



SIGNO PINK FORTE



SIGNO PINK FORTE
30X30 CM



STALWART LIGHT



STALWART DÉCOR



STALWART DARK



STALWART DARK
30X30 CM




30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



SILICA MARFIL



SILICA CUBIX M/O



SILICA OCRE



SILICA OCRE
30X30 CM



SUSSEX BLANCO



SUSSEX DÉCOR



SUSSEX BLANCO
30X30 CM



SWISS BLANCO



SWISS BLANCO DÉCOR



SWISS AQUA



SWISS AQUA
30X30 CM



SYLVAN BLUE LIGHT



SYLVAN BLUE DÉCOR



SYLVAN BLUE DARK



SYLVAN BLUE DARK
30X30 CM



SYLVIA BLANCO



SYLVIA DÉCOR



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



TANJORE CREMA



TANJORE DÉCOR 1



TANJORE DÉCOR 2



TIGRIS BIANCA



TIGRIS DÉCOR



STEP STONE BROWN



STEP STONE NATURAL



SAHYADRI SLATE



SAPUTARA STONE



SHIVNERI LEAF STONE




TUDOR STONE GRIS



TUDOR STONE BROWN



TOPAZ NATURAL



30x45 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



VERONA LIGHT




VERONA HL



VERONA DARK



VERONA DARK
30X30 CM



VIANCA BIANCO



VIANCA DECOR



VIANCA AZUL




VIANCA AZUL
30X30 CM





VILLAGE MARFIL

S



VILLAGE GRIS

S



WOODSTOCK LIGHT

G



WOODSTOCK DÉCOR 1

★ G



WOODSTOCK DARK

G



WOODSTOCK DARK
30X30 CM

M



WOODSTOCK LIGHT

G



WOODSTOCK DÉCOR 2

★ G



WOODSTOCK DARK

G



WOODSTOCK DARK
30X30 CM

M



25x37.5 cm

A Timeless
Beauty




25x37.5 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



ARTEGA LIGHT



ARTEGA DECOR



ARTEGA DARK



ARTEGA DARK
30X30 CM



BERLINIA LIGHT



BERLINIA DECOR



BERLINIA DARK



BERLINIA DARK
30X30 CM





BUICK LIGHT



BUICK DECOR



BUICK DARK



BUICK DARK
30X30 CM



25x37.5 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



CANDY VERDE



CANDY CUBIX



CANDY VERDE FORTE



CANDY VERDE FORTE
30X30 CM



CELTIC BEIGE



CELTIC DECOR



CELTIC BROWN



CELTIC BROWN
30X30 CM





CARATE GREY



CARATE GREY FIL



CARATE GREY FORTE



CARATE GREY FORTE
30X30 CM




DUNA CREMA



DUNA DECOR



DUNA BROWN



DUNA BROWN
30X30 CM



25x37.5 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles




FIONA BLANCO



FIONA BLANCO HL-1



FIONA BLANCO HL-2



GRAPHITE BLANCO



GRAPHITE DECOR



GRAPHITE NERO



GRAPHITE NERO
30X30 CM





HEVEA BLANCO



HEVEA GRIS DECOR



HEVEA GRIS



HEVEA GRIS
30X30 CM



HEVEA BEIGE




HEVEA BROWN DECOR



HEVEA BROWN



HEVEA BROWN
30X30 CM



HEVEA MARFIL



HEVEA BRONZE DECOR



HEVEA BRONZE



HEVEA BRONZE
30X30 CM



25x37.5 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



HINO LIGHT



HINO DECOR



HINO DARK



HINO DARK
30X30 CM



HOMMEL LIGHT



HOMMEL DECOR



HOMMEL DARK



HOMMEL DARK
30X30 CM



HUDSON LIGHT HUDSON DECOR ★ HUDSON DARK HUDSON DARK 30X30 CM IVECO LIGHT IVECO DECOR ★ IVECO DARK IVECO DARK 30X30 CM JAKARTA LIGHT JAKARTA DECOR ★ JAKARTA DARK JAKARTA DARK 30X30 CM JUTE MARFIL JUTE CUBIX C/M ★ JUTE COCO JUTE COCO 30X30 CM JUTE AZUL LIGHT JUTE CUBIX L/D ★ JUTE AZUL DARK JUTE AZUL DARK 30X30 CM 

25x37.5 cm

DIGITAL

Rectified Digital Ceramic Wall Tiles



MARBELLA MARFIL



MARBELLA CUBIX




MARBELLA COPPER



MARBELLA COPPER
30X30 CM



MEDANG WOOD LIGHT MEDANG WOOD DECOR ★ MEDANG WOOD DARK MEDANG WOOD DARK 30X30 CM MORGAN LIGHT MORGAN DECOR ★ MORGAN DARK MORGAN DARK 30X30 CM MORRIS LIGHT MORRIS DECOR ★ MORRIS DARK MORRIS DARK 30X30 CM PALADIO LIGHT PALADIO DECOR ★ PALADIO DARK PALADIO DARK 30X30 CM PLANKWOOD PLANKWOOD HL-1 ★ PLANKWOOD HL-2 

25x37.5 cm

DIGITAL
Rectified Digital Ceramic Wall Tiles



PALOMA BEIGE 



PALOMA BEIGE HL  



PALOMA BEIGE FORTE 



PALOMA GREY 



PALOMA GREY FORTE 




PROLINE LIGHT 



PROLINE DECOR  



PROLINE DARK 



PROLINE DARK 30X30 CM 





PIZARRA LIGHT



PIZARRA DÉCOR 1



PIZARRA DÉCOR 2




PIZARRA DARK



PIZARRA DARK
30X30 CM



POLAR WOOD LIGHT POLAR WOOD HL ★ POLAR WOOD DARK POLAR WOOD DARK 30X30 CM ROVER LIGHT ROVER DECOR ★ ROVER DARK ROVER DARK 30X30 CM SUDAN LIGHT SUDAN DECOR ★ SUDAN DARK SUDAN DARK 30X30 CM TESSERA LIGHT TESSERA DECOR ★ TESSERA DARK TESSERA DARK 30X30 CM TOUCHWOOD LIGHT TOUCHWOOD CUBIX ★ TOUCHWOOD DARK TOUCHWOOD DARK 30X30 CM 



VENATTO SAND LIGHT 



VENATTO SAND DECOR  



VENATTO SAND DARK 



VENATTO SAND DARK
30X30 CM 



TREND LIGHT 



TREND HL  



TREND DARK 



TREND DARK
30X30 CM 



Kajaria

20x30 cm

Stylishly
Small



M MATT S SATIN MATT G GLOSSY



20x30 cm

PLAIN

Ceramic Tiles



BLANCO NIEVE 



CREMA 

20x30 cm

PRINTED

Ceramic Tiles



ASHWOOD BEIGE 



ASHWOOD BEIGE
FORTE 



LINO BEIGE 



LINO COTTO 



MADRID BEIGE 



MADRID GREY 



MOSAICO BEIGE 



MOSAICO GREY 



PANAMA BEIGE 



PANAMA BEIGE
FORTE 



PANAMA VERDE 



PANAMA VERDE
FORTE 




60x120 cm

State-of-the-art
Collection





AMPHORA CREMA



ANTÁRTICA BLANCO

60x120 cm

GRESTOUGH
Hi-Definition Digital Ceramic Tiles

HD POLISHED



BRECCIA ROYALE



CATANIA NATURALE





CREMA PEARL



CREMA PEARL DÉCOR



CARRARA GRIS



DYNA ROYALE











LABURNUM MARFIL



MARMO GOLD



MIRANDA BEIGE



PERLA SNOW





GORGIO PERLA MARBLE



IRIS GREY TRAVERTINE



LAPIS SILVER MARBLE



LAPIS GREY MARBLE





ROYALE ONYX



SANTIAGO TRAVERTINE



60x120 cm

GRESTOUGH
Hi-Definition Digital Ceramic Tiles

HD POLISHED



SCARLET GRIS



SILVER PEARL







VATICAN MARFIL



VALENCIA GRIS



VERSELLES TRAVERTINE





BROWN GARNET



BRECCIA GRIS



60x120 cm

GRESTOUGH
Hi-Definition Digital Ceramic Tiles

HIGH-GLOSS



CARLOSE NERO



EXOTIC BLUE









EMPERADOR CAFÉ



EMPERADOR GOLD



FLORIDA CAFÉ



PULPIS NATURAL









RIVIERA NATURAL



SERON AZUL



TRAVERTINO GOLD









AVALON MARFIL



AVALON CAFÉ DÉCOR



AVALON CAFÉ



ASPIRA MARFIL

GLOSS-MATT





BOTOCHINO CLASSICO LIGHT



LUMIA TEAK WOOD

GLOSS-MATT | WOOD







ESSENZA TEAK



ESSENZA WENGE DÉCOR



ESSENZA WENGE



ESSENZA SHEESHAM










MACAU GRIS



MACAU MIST



MAESTRO MARFIL



MAESTRO MARFIL DÉCOR







BIANCA CARRARA



SPRING MARFIL



60x120 cm

GRESTOUGH
Hi-Definition Digital Ceramic Tiles

MATT



SENTOSA MARFIL



SENTOSA RUST





TECTONA GRANDIS

WOOD 

60x120 cm

GRESTOUGH
Hi-Definition Digital Ceramic Tiles

MATT



WENGE WALNUT

WOOD 





Kajaria

20x120 cm

Feel the
Wood



 RANDOM DESIGN





AFRICANA WENGE



AMAZON WALNUT



ALBERTA MAPLE



ALPINE MAPLE



BHUTAN WENGE



CORBETT TEAK



COLLAGE WOOD





CANADIAN WALNUT



CHERRY BEECH



EBONY WOOD



20x120 cm

PLANKS

Hi-Definition Digital Ceramic Tiles

WOOD



ENGLISH MAHOGANY



EARTH CHERRY



EQUADOR TEAK



FINE OAK



20x120 cm

PLANKS

Hi-Definition Digital Ceramic Tiles

WOOD



GHANA WALNUT



GOLDEN BEECH



HIMALAYAN CEDAR





IRISH WALNUT



KASHMIR WILLOW



KAZIRANGA TEAK



LOWLAND OAK



20x120 cm

PLANKS

Hi-Definition Digital Ceramic Tiles

WOOD



MALLORCA WALNUT



MONTANA WALNUT



NICOBAR CEDAR





ORCHARD DELIGHT



OXFORD CHERRY



SENEGAL OAK



SIAM TEAK



SIBERIAN PINE



TROPICAL WALNUT



SILICATE GOLD





Kajaria

60x60 cm

Made to
Shine



M MATT S SATIN MATT G GLOSSY R RANDOM DESIGN





AMERICAN CEDAR

M



BALSAM OAK

M



CARIBBEAN WOOD

M



CINNAMON BEIGE

M



CINNAMON ORANGE

M



CORSICAN PINE

M



CROSS WOOD

M



EASTERN WALNUT

M R



EXO WOOD

M



JADE TEAK

M R



JADE WALNUT

M R



JACARANDA

M







KASHMIR WOOD

M



MIKASA WOOD

M



PLANKET FUSION


M



PLANKET WALNUT

M R





BLANCO NIEVE

B



EGYPTO BROWN

M



GRANITO BLANCO

R



GRANITO GREY

M



MOON STONE GREY

M



PLANET GREY

M R



ANGOLA GRIS



ANGOLA MARFIL



ANGOLA NERO



ANDES SLATE



GRANITE CREMA MATT



GRANITE GRIS MATT













GRANITE MARFIL MATT



MURANO BEIGE



MURANO BIANCA



MURANO GRIS



MURANO MARFIL



OTTAWA MARFIL





OTTAWA BEIGE

M



OTTAWA COCO

M



OTTAWA COTTO

M



OTTAWA GRIS

M



OTTAWA NERO

M



SAHARA BEIGE

M







SAHARA SAND



SHANGHAI MARFIL MATT



STORM COPPER



STORM SILVER



TORNADO MARFIL



TORNADO OCRE





ALPHA BEIGE



AUSTIN BEIGE



BOLIVIA BEIGE



BOLIVIA MARFIL



CRYSTAL MARFIL



EMILA NATURAL









ITALIAN BEIGE



ITALIAN GRIS



KASHMIR WHITE



MILAN BLANCO



MILAN CAFFÈ



MILAN CREAM

60x60 cm

DIGITAL
Rectified Digital Ceramic Floor Tiles

POLISHED



ONTARIO NATURAL




QUARTZ NERO





SCOTLAND CREMA



SNOW WHITE



SYDNEY GRIS



TORSO CREMA



VENEZIA GREY





60x60 cm

ELEGANT

Rectified Digital Ceramic Floor Tiles



BRAZILIAN WALNUT



EXOTIC CREMA



EXOTIC GREY



FABRIC WOOD



IRIS NERO



PETRA BEIGE

60x60 cm

ELEGANT

Rectified Digital Ceramic Floor Tiles



TERRAZZO MARFIL



TIGER WOOD



TWILIGHT NERO



VISTARA WOOD





Kajaria

40x40 cm

Always
in Vouge



M MATT S SATIN MATT G GLOSSY R RANDOM DESIGN


40x40 cm

RECTIFICADO

Rectified Digital Ceramic Floor Tiles



TAPIA BROWN



VENATO FUSION



VENATO RUST



PLAIN



BLANCO NIEVE



CREMA



PRINTED



JONICA BEIGE



LEO BEIGE



LEO GREY



LIMONI BEIGE



LIMONI GREY



MEXICO BEIGE





40x40 cm

RECTIFICADO
Rectified Ceramic Floor Tiles

SPL. PRINTED



BIKANER BROWN

S



MONTREAL CREMA

G



TERRA COPPER

M



TERRA COTTO

M



TERRA CREMA

M



TERRA GREY

M



TERRA MARFIL

M



40x40 cm

RECTIFICADO
Rectified Ceramic Floor Tiles

TOURMALINE



TOURMALINE BEIGE

R M



TOURMALINE COTTO

R M



TOURMALINE GRIS

R M

NALAGARH SPECIAL



NALAGARH AQUA MIX

R M



NALAGARH COBALT BLUE MIX

R M



NALAGARH COTTO MIX

R M



NALAGARH GOLD MIX

R M



Kajaria

30x30 cm

Eternally
Elegant



M MATT S SATIN MATT G GLOSSY R RANDOM DESIGN

30x30 cm

NON RECTIFIED

Digital Ceramic Floor Tiles

MATT



ARCADIA BROWN



ASSAM OAK



ASSAM WALNUT



FLANDIS WOOD



PASSION WOOD



PRISM RUST



ROCK WOOD



30x30 cm

PREMIUM

Ceramic Floor Tiles

MATT



COLORADO CREMA



ARIZONA CREMA



RANGER COTTO



SEA ROCK VERDE

30x30 cm

PRINTED

Ceramic Floor Tiles

MATT



GRANILIA GREY



GRANILIA CREMA



GRANILIA COBALT BLUE *



GRANILIA BROWN



GRANILIA BLANCO

* Special colour products: priced higher than other shades/designs in this series.

30x30 cm

SPECIAL PRINTED
Ceramic Floor Tiles

MATT



LINO BEIGE



30x30 cm

PLAIN
Ceramic Floor Tiles

MATT



BLANCO NIEVE



BROWN MEDITERRINEO



CREMA



GREY



30x30 cm

DIGITAL PAVIGRES

Vitrified Heavy Duty Full Body Paving Digital Tiles

MATT



ARTIZE GRIS



ARTIZE COPPER



ARTIZE FUSION




AURA GRIS



COBLE STONE



DIAMOND SOLITAIRE



DUNA FUSION STRATO



DUNA NERO STRATO





HATI FUSION



HATI GRIS



INFINITY FUSION



JAZZ COPPER



JAZZ FUSION



JAZZ GRIS



JAZZ NERO



MIDAS COTTO



30x30 cm

DIGITAL PAVIGRES

Vitrified Heavy Duty Full Body Paving Digital Tiles

MATT



MIDAS GRIS



NEO STONE AZUL



NEO STONE COPPER



NEO STONE FUSION



NYLE FUSION



NYLE MARFIL



ORION BROWN



ORION GRIS



PADAUK BEIGE



PADAUK BROWN



PANORAMA CEMENT



PANORAMA COTTO



PANORAMA FUSION



PANORAMA GRIS



PANORAMA MARFIL



PARQUET GRIS

30x30 cm


DIGITAL PAVIGRES

Vitrified Heavy Duty Full Body Paving Digital Tiles

MATT



PARQUET NATURAL



POLKA GRIS



POLKA CUBES



RIVER STONE COPPER



RIVER STONE COTTO



ROCK CUBIX



SPECTRA AZUL



SPECTRA COTTO



30x30 cm

DIGITAL PAVIGRES

Vitrified Heavy Duty Full Body Paving Digital Tiles

MATT



SPECTRA FUSION



SPECTRA MARFIL



SPECTRA NATURAL



STARLET GRIS



STONEX GRIS



TREND GRIS




TREND TAUPE



VECTOR COPPER



VECTOR NERO



VISTARA GRIS



SERIE CUBIX



CUBIX IVORY



CUBIX TERRACOTTA

SERIE DELTA



DELTA IVORY



DELTA TERRACOTTA

SERIE NEXUS



NEXUS IVORY



NEXUS TERRACOTTA

SERIE PENTA



PENTA IVORY



PENTA TERRACOTTA

SERIE PLAIN



IVORY



TERRACOTTA

SERIE POLKA



POLKA IVORY



POLKA TERRACOTTA

SERIE ROVER



ROVER IVORY



ROVER TERRACOTTA

SERIE RUBY



RUBY IVORY



RUBY TERRACOTTA



SERIE SIGMA



SIGMA IVORY



SIGMA TERRACOTTA

SERIE SPECTRUM



SPECTRUM IVORY



SPECTRUM TERRACOTTA

SERIE STARLET



STARLET IVORY



STARLET TERRACOTTA

SERIE STRIDE



STRIDE IVORY



STRIDE TERRACOTTA

SERIE STRIPES



STRIPES IVORY



STRIPES TERRACOTTA

SERIE WAVES



WAVES IVORY



WAVES TERRACOTTA

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.)	Weight/Sq.Mtr (kgs.)
Dimensions (in mm)	Thickness (in mm)				
400x600 (Rectified)	11.00	03	0.96	17.20	17.82
400x400 (Rectified)	9.50	06	0.96	15.20	15.83

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017				
	Characteristics	IS:15622:2017	Our Value	Method of Testing
	Deviation in Length & Width	Max $\pm$ 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Deviation in Thickness	Max $\pm$ 5.0%	Max $\pm$ 5.0%	IS:13630 (Part-1)
	Surface Flatness (Warpage)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Rectangularity (Squareness)	Max 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Water Absorption	$\geq$ 10%	$\geq$ 10%	IS:13630 (Part-2)
	Scratch Hardness of Surface (Mohs)	Min. 3	Min. 3	IS:13630 (Part-13)
	Resistance to Surface Abrasion (of tiles intended for use on floors)	Class II, min	PB Group II	IS:13630 (Part-11)
	Crazing Resistance	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar	IS:13630 (Part-9)
	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalis (except HF and its compounds)	IS:13630 (Part-8)
	Modulus of Rupture N/mm ² Tile Thickness $\geq$ 7.5 mm Tile Thickness $<$ 7.5 mm	12 N/mm ² 15 N/mm ²	12 N/mm ² 15 N/mm ²	IS:13630 (Part-6)
	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS:13630 (Part-5)

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.)	Weight/Sq.Mtr (kgs.)
Dimensions (in mm)	Thickness (in mm)				
300X600 (Digital Polished)	9.00	05	0.90	14.20	15.78

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017				
	Characteristics	IS:15622:2017	Our Value	Method of Testing
	Deviation in Length & Width	Max $\pm$ 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Deviation in Thickness	Max $\pm$ 5.0%	Max $\pm$ 5.0%	IS:13630 (Part-1)
	Surface Flatness (Warpage)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Rectangularity (Squariness)	Max 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Water Absorption	$\geq$ 10%	$\geq$ 10%	IS:13630 (Part-2)
	Scratch Hardness of Surface (Mohs)	Min. 3	Min. 3	IS:13630 (Part-13)
	Resistance to Surface Abrasion (of tiles intended for use on floors)	Class II, min	PEI Group II	IS:13630 (Part-11)
	Crazing Resistance	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar	IS:13630 (Part-9)
	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalies (except HF and its compounds)	IS:13630 (Part-8)
	Modulus of Rupture N/mm ² Tile Thickness $\geq$ 7.5 mm Tile Thickness $<$ 7.5 mm	12 N/mm ² 15 N/mm ²	12 N/mm ² 15 N/mm ²	IS:13630 (Part-6)
	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS:13630 (Part-5)

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.)	Weight/Sq. Mtr. (kgs.)
Dimensions (in mm)	Thickness (in mm)				
300x600 (Rectified)	9.80	05	0.90	15.40	17.11
300x450 (Rectified)	8.50	06	0.81	12.30	15.19
250x375 (Rectified)	7.60	08	0.75	9.75	13.00
300x300 (Rectified)	8.30	10	0.90	13.40	14.89

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017				
	Characteristics	IS:15622:2017	Our Value	Method of Testing
	Deviation in Length & Width	Max $\pm$ 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Deviation in Thickness	Max $\pm$ 5.0%	Max $\pm$ 5.0%	IS:13630 (Part-1)
	Surface Flatness (Warpage)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Rectangularity (Squareness)	Max 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Water Absorption	$\geq$ 10%	$\geq$ 10%	IS:13630 (Part-2)
	Scratch Hardness of Surface (Mohs)	Min. 3	Min. 3	IS:13630 (Part-13)
	Resistance to Surface Abrasion (of tiles intended for use on floors)	Class II, min	PEI Group II	IS:13630 (Part-11)
	Crazing Resistance	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar	IS:13630 (Part-9)
	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalis (except HF and its compounds)	IS:13630 (Part-8)
	Modulus of Rupture N/mm ² Tile Thickness $\geq$ 7.5 mm Tile Thickness $<$ 7.5 mm	12 N/mm ² 15 N/mm ²	12 N/mm ² 15 N/mm ²	IS:13630 (Part-6)
	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS:13630 (Part-5)

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.)	Weight/Sq.Mtr. (kgs.)
Dimensions (in mm)	Thickness (in mm)				
300X600 (Digital Bevel)	10.00	05	0.90	13.80	15.33

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017				
	Characteristics	IS:15622:2017	Our Value	Method of Testing
	Deviation in Length & Width	Max $\pm$ 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Deviation in Thickness	Max $\pm$ 5.0%	Max $\pm$ 5.0%	IS:13630 (Part-1)
	Surface Flatness (Warpage)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Rectangularity (Squareness)	Max 0.2%	Max $\pm$ 0.2%	IS:13630 (Part-1)
	Water Absorption	$\geq$ 10%	$\geq$ 10%	IS:13630 (Part-2)
	Scratch Hardness of Surface (Mohs)	Min. 3	Min. 3	IS:13630 (Part-13)
	Resistance to Surface Abrasion (of tiles intended for use on floors)	Class II, min	PBI Group II	IS:13630 (Part-11)
	Crazing Resistance	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar	IS:13630 (Part-9)
	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalis (except HF and its compounds)	IS:13630 (Part-8)
	Modulus of Rupture N/mm ² Tile Thickness $>$ 7.5 mm Tile Thickness $<$ 7.5 mm	12 N/mm ² 15 N/mm ²	12 N/mm ² 15 N/mm ²	IS:13630 (Part-6)
	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS:13630 (Part-5)

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.)	Weight/Sq.Mtr (kgs.)
Dimensions (in mm)	Thickness (in mm)				
200x300 (Unrectified)	7.00	15	0.90	11.50	12.78

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017				
	Characteristics	IS:15622:2017	Our Value	Method of Testing
	Deviation in Length & Width	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Deviation in Thickness	Max $\pm$ 5.0%	Max $\pm$ 5.0%	IS:13630 (Part-1)
	Surface Flatness (Warpage)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Rectangularity (Squariness)	Max $\pm$ 0.3%	Max $\pm$ 0.3%	IS:13630 (Part-1)
	Water Absorption	$\geq$ 10%	$\geq$ 10%	IS:13630 (Part-2)
	Scratch Hardness of Surface (Mohs)	Min. 3	Min. 3	IS:13630 (Part-13)
	Resistance to Surface Abrasion (of tiles intended for use on floors)	Class II, min	PEI Group II	IS:13630 (Part-11)
	Crazing Resistance	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar	IS:13630 (Part-9)
	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalis (except HF and its compounds)	IS:13630 (Part-8)
	Modulus of Rupture N/mm ² Tile Thickness $\geq$ 7.5 mm Tile Thickness $<$ 7.5 mm	12 N/mm ² 15 N/mm ²	12 N/mm ² 15 N/mm ²	IS:13630 (Part-6)
	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS:13630 (Part-5)

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Coverage Area / Box(Sq.Mtr)	No. of Tiles/Box	Avg. Wt/Box (Kgs.) (Approx)	Avg. Wt/Sq.Mtr. (Kgs) (Approx)
Dimensions (in mm)	Thickness (in mm)				
600x1200mm (Rectified)	10.00	1.44	2 Pcs	32.30	22.43

Comparison of Kajaria Tiles Parameters to International Standards B1b ISO-13006:2018-09

	S.No.	Characteristics	Group B1b-ISO 13006:2018-09		Our Value	Method of Testing
			Nominal size (N) N ≥ 15 cm			
			%	mm		
	1	Deviation in Length & Width	± 0.3	± 1.0	± 1.0 mm	ISO-10545-2
	2	Deviation in Thickness	± 5.0	± 0.5	± 0.5 mm	ISO-10545-2
	3	Deviation in Straightness of Sides	± 0.3	± 0.8	± 0.8 mm	ISO-10545-2
	4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5 mm	ISO-10545-2
	5	Surface Flatness				
		a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
		b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
		c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
	7	Water Absorption	0.5% < Eb ≤ 3.0% Ind. Max. 3.3%		2.0 - 3.0%	ISO-10545-3
	8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min.	ISO-10545-7
	9	Modulus of Rupture N/mm2	Min. 30, individual min. 27		Min. 30, individual min. 27	ISO-10545-4
	10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not less than 1100	ISO-10545-4
	11	Cracking Resistance	Required		4 cycle at 7.5 bar min	ISO-10545-11
	12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
	13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
	14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
	15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Coverage Area / Box(Sq.Mtr)	No. of Tiles/Box	Avg. Wt/Box (Kgs.) (Approx)	Avg. Wt/Sq.Mtr. (Kgs) (Approx)
Dimensions (in mm)	Thickness (in mm)				
200x1200mm (Rectified)	11.00	0.98	4 Pcs.	23.80	24.79

Comparison of Kajaria Tiles Parameters to International Standards B1b ISO-13006:2018-09						
	S.No.	Characteristics	Group B1b-ISO 13006:2018-09		Our Value	Method of Testing
			Nominal size (N) N ≥ 15 cm			
			%	mm		
	1	Deviation in Length & Width	± 0.3	± 1.0	± 1.0 mm	ISO-10545-2
	2	Deviation in Thickness	± 5.0	± 0.5	± 0.5 mm	ISO-10545-2
	3	Deviation in Straightness of Sides	± 0.3	± 0.8	± 0.8 mm	ISO-10545-2
	4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5 mm	ISO-10545-2
	5	Surface Flatness				
		a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
		b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
		c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
	7	Water Absorption	0.5% < Eb ≤ 3.0% Ind. Max. 3.3%		2.0 - 3.0%	ISO-10545-3
	8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min.	ISO-10545-7
	9	Modulus of Rupture N/mm2	Min. 30, Individual min. 27		Min. 30, Individual min. 27	ISO-10545-4
	10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not less than 1100	ISO-10545-4
	11	Crazing Resistance	Required		4 cycle at 7.5 bar min	ISO-10545-11
	12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
	13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
	14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
	15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Coverage Area / Box(Sq.Mtr)	No. of Tiles/Box	Weight/Box (Kgs.) (Approx)	Weight/Sq.Mtr. (Kgs) (Approx)
Dimensions (in mm)	Thickness (in mm)				
600x600mm (Digital Rectified)	9.50	1.44	4 Pcs.	30.10 - 30.80	20.90 - 21.39

Conformity of Kajaria Tiles Parameters to Indian Standards (Group B II a) IS:15622:2017					
S.No.	Characteristics	IS:15622:2017	Our Value	Method of Testing	
 1	Deviation in Length & Width	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1	
 2	Deviation in Thickness	Max. $\pm 5.0\%$	Max. $\pm 5.0\%$	IS: 13630-1	
 3	Deviation in Straightness of sides	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1	
 4	Deviation in Rectangularity	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1	
 5	Surface Flatness	Max. $\pm 0.5\%$	Max. $\pm 0.5\%$	IS: 13630-1	
 6	Surface Quality	Min. 85% free from visible defects	Min. 85% free from visible defects	IS: 13630-1	
 7	Water Absorption	Avg. $3 < E \leq 6\%$ Individual max. 6.2%	Avg. $3 < E \leq 6\%$ Individual max. 6.2%	IS: 13630-2	
 8	Scratch Hardness (Moh's Scale)	Min. 4	Min. 4	IS: 13630-13	
 9	Abrasion Resistance	Class II Min.	As per the abrasion class indicated in catalogue	IS: 13630-11	
 10	Crazing Resistance	4 cycle at 7.5 bar min	4 cycle at 7.5 bar min.	IS: 13630-9	
 11	Modulus of Rupture N/mm ²	Avg. 22, individual 20, Min.	Avg. 22, individual 20, Min.	IS: 13630-6	
 12	Breaking Strength, in N	600, min. for thickness < 7.5 mm 1000, min. for thickness ≥ 7.5 mm	1000, Min. for thickness ≥ 7.5 mm	IS: 13630-6	
 13	Chemical Resistance	Required, if agreed	Resistance to all acids and alkalis (except hydrofluoric acid and its compounds)	IS: 13630-8	
 14	Thermal Shock Resistance	Min. 10 cycles	Min. 10 cycles	IS: 13630-5	
 15	Resistance to Household Chemicals	Class AA, min	Class AA, min	IS: 13630-8	
 16	Resistance to Staining	Class 1, min	Class 1, min.	IS: 13630-8	

- Colours in the catalogue are as accurate as printing process allows, please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Note :

Weight of box varies in matt and polished product. Range of approx weight is given for the same reason.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.) (Approx)	Weight/Sq.Mtr (kgs.) (Approx)
Dimensions (in mm)	Thickness (in mm)				
400x400 (Rectified) Normal & Digital	8.20	6	0.96	16.20	16.88

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017					
	S.No.	Characteristics	IS:15622:2017	Our Value	Method of Testing
	1	Deviation in Length & Width	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1
	2	Deviation in Thickness	Max. $\pm 5.0\%$	Max. $\pm 5.0\%$	IS: 13630-1
	3	Deviation in Straightness of sides	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1
	4	Deviation in Rectangularity	Max. $\pm 0.1\%$	Max. $\pm 0.1\%$	IS: 13630-1
	5	Surface Flatness			IS: 13630-1
		a. Centre of curvature (max.)	Max. $\pm 0.5\%$	Max. $\pm 0.5\%$	
		b. Edge curvature (max.)	Max. $\pm 0.5\%$	Max. $\pm 0.5\%$	
		c. Corner warpage (max.)	Max. $\pm 0.5\%$	Max. $\pm 0.5\%$	
	6	Surface Quality	Min. 95% free from visible defects.	Min. 95% free from visible defects.	IS: 13630-1
	7	Water Absorption	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	IS: 13630-2
	8	Scratch Hardness (Moh's Scale)	4, Min.	4, Min.	IS: 13630-13
	9	Abrasion Resistance	Class II, Min.	As per the abrasion class indicated in catalogue	IS: 13630-11
	10	Crazing Resistance	4 cycle at 7.5 bar min.	4 cycle at 7.5 bar min.	IS: 13630-9
	11	Modulus of Rupture in N/mm ²	Avg. 22, Individual, 20 Min.	Avg. 22, Individual, 20 Min.	IS: 13630-6
	12	Chemical Resistance	Required, if agreed	Resistance to all acids and Alkalis (except Hydrofluoric acid and its compounds)	IS: 13630-8
	13	Thermal Shock	Min. 10 cycles	Min. 10 cycles	IS: 13630-5
	14	Resistant to household chemicals	Class AA, min.	Class AA, min.	IS: 13630-8
	15	Resistance to staining	Class 1, min.	Class 1, min.	IS: 13630-6

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Specufication

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.) (Approx)	Weight/Sq.Mtr (kgs.) (Approx)
Dimensions (in mm)	Thickness (in mm)				
305x300 (Unrectified) Normal & Digital	7.40	10	0.96	13.60	15.33

Comparison of Kajaria Tiles Parameters to Indian Standards IS:15622:2017					
	S.No.	Characteristics	IS:15622:2017	Our Value	Method of Testing
	1	Deviation in Length & Width	Max. $\pm 0.4\%$	Max. $\pm 0.4\%$	IS: 13630-1
	2	Deviation in Thickness	Max. $\pm 5.0\%$	Max. $\pm 5.0\%$	IS: 13630-1
	3	Deviation in Straightness of sides	Max. $\pm 0.3\%$	Max. $\pm 0.3\%$	IS: 13630-1
	4	Deviation in Rectangularity	Max. $\pm 0.3\%$	Max. $\pm 0.3\%$	IS: 13630-1
	5	Surface Flatness			
		a. Centre of curvature (max.)	Max. $\pm 0.5\%$	Max $\pm 0.5\%$	IS: 13630-1
		b. Edge curvature (max.)	Max. $\pm 0.5\%$	Max $\pm 0.5\%$	
		c. Corner warpage (max.)	Max. $\pm 0.5\%$	Max $\pm 0.5\%$	
	6	Surface Quality	Min. 95% free from visible defects	Min. 95% free from visible defects	IS: 13630-1
	7	Water Absorption	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	IS: 13630-2
	8	Scratch Hardness (Moh's Scale)	4, Min.	4, Min.	IS: 13630-13
	9	Abrasion Resistance	Class B, Min.	As per the abrasion class indicated in catalogue	IS: 13630-11
	10	Cracking Resistance	4 cycle at 7.5 bar min.	4 cycle at 7.5 bar min.	IS: 13630-9
	11	Modulus of Rupture in N/mm ²	Avg. 22, Individual, 20 Min.	Avg. 22, Individual, 20 Min.	IS: 13630-6
	12	Chemical Resistance	Required, if agreed	Resistance to all acids and Alkalis (except Hydrofluoric acid and its compounds)	IS: 13630-8
	13	Thermal Shock	Min. 10 cycles	Min. 10 cycles	IS: 13630-5
	14	Resistant to household chemicals	Class AA, min.	Class AA, min.	IS: 13630-8
	15	Resistance to staining	Class 1, min.	Class 1, min.	IS: 13630-8

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Digital Pavigres

Glazed Digital Paving Tiles

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtrs.)	Weight/Box (kgs.) (Approx)	Weight/Sq.Mtr (kgs.) (Approx)
Dimensions (in mm)	Thickness (in mm)				
300x300 (Rectified)	9.50	8	0.72	14.60	20.28

Comparison of Kajaria Tiles Parameters to International Standards Bih ISO-13006 : 2018-09					
	S.No.	Characteristics	ISO 13006:2018-09	Our Value	Method of Testing
	1	Deviation in Length & Width	Max. $\pm 0.3\%$	Max. $\pm 0.3\%$	ISO-10545-2
	2	Deviation in Thickness	Max. $\pm 5\%$	Max. $\pm 5\%$	ISO-10545-2
	3	Straightness of Sides	Max. $\pm 0.3\%$	Max. $\pm 0.3\%$	ISO-10545-2
	4	Rectangularity	Max. $\pm 0.3\%$	Max. $\pm 0.3\%$	ISO-10545-2
	5	Surface Flatness (%)	Max. $\pm 0.4\%$	Max. $\pm 0.4\%$	ISO-10545-2
	6	Surface Quality	Min. 95% free from visible defects.	Min. 95% free from visible defects.	ISO-10545-2
	7	Water Absorption	$0.5\% < E \leq 3\%$, Ind. Max. 3.3%	Avg. 0.5%	ISO-10545-3
	8	Breaking Strength (N)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness ≤ 7.5 mm, not less than 700	Thickness ≥ 7.5 mm, not less than 1100	ISO-10545-4
	9	Modulus of Rupture N/mm ²	Min. 30, Individual, min 27	Min. 30, Individual, min 27	ISO-10545-4
	10	Resistance to Surface Abrasion	Report abrasion class and cycles passed	As per the abrasion class indicated in catalogue	ISO-10545-7
	11	Crazing Resistance	Required	4 cycle at 7.5 bar min.	ISO-10545-11
	12	Resistance to staining	Min Class 3	Min Class 3	ISO-10545-14
	13	Resistance to Chemicals	Test method available	Resistant to specified chemicals	ISO-10545-13
	14	Moisture Expansion in millimetres per metre	Test method available	Negligible	ISO-10545-10
	15	Thermal Shock Resistance	Test method available	No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows, please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Pavigres

Heavy Duty Full Body Paving Tiles

Work Size		Pieces/Box (nos.)	Coverage/Box (sq.mtr.)	Weight/Box (kgs.) (Approx)	Weight/Sq.Mtr (kgs.) (Approx)
Dimensions (in mm)	Thickness (in mm)				
300x300 (Rectified)	9.50	8	0.72	14.50	20.14

Comparison of Kajaria Tiles Parameters to International Standards IS:4457:2007

	S.No.	Characteristics	I.S.-4457 : 2007	Our Value	Method of test, Ref to Annex
	1	Deviation in Length & Width (from work size)	$\pm 0.6\%$	$\pm 0.1\%$	Annex - B
	2	Deviation in Thickness	$+5\%$	$+5\%$	Annex - B
	3	Straightness of Sides (Facial)	$\pm 0.2\%$	$\pm 0.2\%$	Annex - B
	4	Rectangularity	$\pm 0.2\%$	$\pm 0.2\%$	Annex - B
	5	Surface Flatness (%)	$\pm 0.3\%$	$\pm 0.3\%$	Annex - B
	6	Surface Quality	Min. 95% free from visible defects	Min. 95% free from visible defects	Annex - B
	7	Water Absorption by weight	Average $< 0.5\%$ Individual 0.6 max.	Average $< 0.5\%$ Individual 0.6 Max.	Annex - C
	8	Breaking Strength (N)	1300 Min.	1300 Min.	Annex - D
	9	Modulus of Rupture (N/mm ²)	Average - 35, Individual, min 32	Average - 35, Individual, min 32	Annex - D
	10	Deep Abrasion Resistance (mm ³)	175 Max.	175 Max.	Annex - E
	11	Chemical Resistance • Resistance to chemicals	Required as agreed between Manufacturer and Purchaser	Required as agreed between Manufacturer and Purchaser	Annex - F
		• Resistance to concentrated HNO ₃ and H ₂ SO ₄	Loss in Mass - 1.5% max.	Loss in Mass - 1.5% max.	Annex - G

- Colours in the catalogue are as accurate as printing process allows, please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.



Kajaria

INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: JJ/B1 (Edn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic, Tollfree : 1800-11-2992

Download Kajaria App

